

PANTA XS (NO FIA HOMOLOGATED)

PROPERTY	UNIT	FIA Specifications		TEST METHOD	TYPICAL VALUE
		Appendix J - Art 252			
		Min.	Max.		
RON	-	95	102	EN-ISO 5164	115
MON	-	85	90	EN-ISO 5163	106
Density at 15° C	kg/m3	720	785	EN-ISO 3675	774
Oxygen Content	%wt	-	3,7	Elemental analysis	4,65
Nitrogen Content	%wt	-	0,5	ASTM D 3228	0,1
Peroxides and nitroxides Content	ppm	-	100	ASTM D 3703	<10
Lead Content	g/l	-	0,40	ASTM D 3237	<0,003
Benzene Content	% vol	-	5	ASTM D 3606	<0,5
Reid vapour pressure	hPa	-	900	ASTM D 323	402
Sulphur content	ppm	-	10	EN ISO 20884	<10
Aromatic content	%vol	-	35	ASTM D 1319	<35
Distillation:					
Evaporated at 70 °C	%vol	10	47	ISO 3405	20,1
Evaporated at 100 °C	%vol	30	70		47,3
Evaporated at 150 °C	%vol	75	-		96,5
Final Boiling Point	°C	-	225		1,3
Residue	%vol	-	2		0,8
A/F Ratio	-	-	-	Calc.	13,40

PANTA Distribuzione S.p.A

Sede Legale e Amministrativa
S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
Tel. 0373 235111 - Fax 0373 235156

PANTA Racing

S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
T. 0373 235111 - E-mail: fuelorder@panta.it

Sedi Operative

Corso Alessandria, 486 - 14100 Asti - T. 0373 235140
Via Luigi Canina, 7 - 15033 Casale Monferrato (AL)
T. 0142 466103 - Fax 0142 466369
E-mail: spedizionipiemonte@panta.it
S.S. 235 - Km. 47+980 - 26010 Bagnolo Cremasco (CR)
T. 0373 235163

Altre Sedi

Via Montefeltro, 4 - 20156 Milano
T. 02 300598200 / 202
Strada Cipata, 79 - 46100 Mantova
T. 0376 378.1
Via Nizza, 262 - 10126 Torino
T. 011 2173337